

Tejido inteligente autolimpiable que cuida tu salud
Self-cleaning smart fabric that takes care of your health



Elimina suciedad y manchas orgánicas solo con la luz del sol

It removes organic dirt and stains just with sunlight



Elimina hongos, bacterias y virus

It eliminates fungi, bacteria and viruses



Tejido Autolimpiable

Self-cleaning fabric



Repele los malos olores

It repels unpleasant odours



Elimina los ácaros en los textiles

It kills mites in fabrics



Purifica el aire

It purifies air



Tejido muy resistente, evita la degradación y la decoloración

Highly-durable fabric that prevents degradation and fading



Antiestático

Antistatic



Hidrófugo

water repellent



Protección UV

UV protection



ARTÍCULO / ARTICLE
ONEX

Mantenimiento Fácil		Easy Care	
Hilo:	100% Acrílico tintado en masa	Yarn:	100% Acrylic solution dyed
Peso x m²:	451 gr (± 10%)	Weight x sqm:	451 gr (± 10%)
Urdimbre:	30 Hilo x cm NM 2/40000	Warp:	30 yarns x cm NM 2/40000
Trama:	9 Pasadas x cm NM 1/3000	Weft:	9 yarns x cm NM 1/3000
Martindale:	30.000 ciclos	Martindale:	30.000 cycles
Columna de agua:	150ml	Water column:	150ml
Acabados:	Repelente al agua con tecnología nanopartículas Anti bacterias. Anti moho.	Finishes:	Water repellent with nanoparticle technology Anti bacteria Anti mold
Tratamientos:	Inhibición activo de virus (covid-19) Autolimpieza Purificador del aire eliminando contaminación Protección UV Eliminación de olores Efecto bactericida Antiestático	Treatments:	Active inhibition of viruses (covid-19) Self-cleaning Air purifier eliminating pollution UV protection Odor elimination Bactericide effect Antistatic
Análisis		Analysis	
Ancho Pieza	140 cm	Width of Roll	140 cm
Largo Pieza	45 m	Length of roll	45 m
Repelencia al Aceite UNE-ISO14419: 2010	6 Sobre un máximo de 8	Oil repellence UNE-ISO14419: 2010	6 over a maximum of 8
Repelencia al Agua Método M test II	10 Sobre un máximo de 10	Water Repellence M test II	10 over a maximum of 10
Solidez del Color al Agua clorada (100 mg x litro) UNE EN ISO 105 E 03	5 Sobre un máximo 5	Colour fastness to Chloride water (100 mg x litre) UNE EN ISO 105 E 03	5 over a maximum of 5
Solidez del Color al Agua de Mar UNE EN ISO 105 E 02	5 Sobre un máximo 5	Colour fastness to Sea Water UNE EN ISO 105 E 02	5 over a maximum of 5
Solidez de las texturas a la luz UNE EN ISO 13934 105 B	7/8 Sobre un máximo de 8 (Escala de Azules) 4/5 Sobre un máximo de 5 (Escala Grises)	Colour fastness to light UNE EN ISO 13934 105 B	7/8 over a maximum of 8 (Blue Scale) 4/5 over a maximum of 5 (Grey Scale)


ARTÍCULO / ARTICLE
ONEX
 outdoor & indoor fabrics

ecoplén
 El tejido inteligente que se limpia solo




ARTÍCULO / ARTICLE
ONEX
 outdoor & indoor fabrics


Onex
AT 331




Onex
AT 113




Onex
AT 120




Onex
AT 120




Onex
AT 206



Onex
AT 208



Onex
AT 207




Onex
AT 203



Onex
AT 202



Onex
AT 114



Onex
AT 112



Onex
AT 210




Onex
AT 211



Onex
AT 121



Onex
AT 201




Onex
AT 118



Onex
AT 116




Onex
AT 119



Onex
AT 209




Onex
AT 204



Onex
AT 205



Onex
AT 115



Onex
AT 117



Onex
AT 122



Onex
AT 335



Onex
AT 334



Onex
AT 332



Indoor & Outdoor
fabrics

